

**ERRATA****Erratum: “Molecular constants and Rydberg–Klein–Rees (RKR) potential curve for the Na<sub>2</sub> 1<sup>3</sup>Σ<sub>g</sub><sup>-</sup> state” [J. Chem. Phys. 111, 3494 (1999)]**

Yaoming Liu, Jian Li, Dieyan Chen, and Li Li

*Department of Modern Applied Physics and Center of Atomic Molecular Sciences, Tsinghua University, Beijing 100084, China*

Kevin M. Jones

*Department of Physics, Williams College, Williamstown, Massachusetts 01267*

Bing Ji

*Department of Chemistry, Massachusetts Institute of Technology, Cambridge, Massachusetts 02139*

Robert J. Le Roy

*Guelph-Waterloo Centre for Graduate Work in Chemistry and Biochemistry, University of Waterloo, Waterloo, Ontario N2L 3G1, Canada*

[DOI: 10.1063/1.1504434]

The power in Eq. (4) is incorrect. The near-dissociation expansion expression for the inertial rotational constant should read

$$B_v = X_1(n)(v_D - v)^{4/(n-2)} \exp\left[\sum_{i=1}^L p_i^1 (v_D - v)^i\right]. \quad (4)$$

We are grateful to Dr. Claude Amiot for bringing this error to our attention.